

# OAK NOUVEAU WHISPER

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	151N9AEK16KW220	Wood Species	White Oak	Moisture	EN13183	7%±2%
EAN Code	7393969302791	Design	1-strip	content		
Surface Treatment	Matte finish	Grading	Lively	<b>Minimun Mean Density kg/m<sup>3</sup></b> >500 kg/m <sup>3</sup>		
Refining Treatment	Brushed, Microbeveled 4-	Range	Kährs Original	Reaction To Fire	EN13501-1	Dfl-s1
Dimensions	sided 7 3/8 x 89 1/4 "	Collection	Classic Nouveau Collection	Formaldehyde Emission	EN717-1	E1
Weight per Package	46.3 lbs	Resandable	2 times	Content PCP	CEN/TR14823	≤ 5 x 10-6n
Area per Package	27.3 sqft	Natural/Stained	Stained	Breaking	EN1533	NPD
Area per pallet	1230.3 sqft	Brinell Value	3,7	Strength		
Package info	Packages may contain start and stop boards.	Joint	Woodloc® 5S	N/mm <sup>2</sup>		
		Floor heating	Yes	Thermal Conductivity	EN12664	0,14 W/mK
DETAIL DESCRIPTION		Warranty	30 years	Thermal Resistance R-Value		.11 (m2K/W)
All naturally occuring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes large sound and black knots, fillings and cracks. Knots, fillings and cracks will be present in all sizes and numbers.		Wear-layer material	Hardwood	Biological	EN350-2	Class 1
		Wear Layer Thickness	1/8"	Durability		
		Core material	Pine/Spruce/Alder	CARB2		Compliant
		Backside material	Spruce Veneer	Slipperiness CEN/TS15676		NPD

#### COLOR CHANGE

Stained product - noticeable color change over time.

Installation method Surface Color

Thickness

White

Floating, Glue-Down

5/8"

### Other products in this collection



Oak Nouveau Whisper





Oak Nouveau Lace





CE



Oak Nouveau Blonde



Oak Nouveau Snow



Oak Nouveau Gray



Oak Nouveau Black

#### CERTIFICATES



## TE US IVW ON OF

#### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.