



## Emission Classification of Building Materials

### Modulyss NV

The classification committee appointed by Rakennustietosäätiö RTS sr has approved product:

Alpha B2B  
Alpha comfortBack  
Alternative 100 B2B  
Alternative 100 comfortBack  
Blaze B2B  
Blaze comfortBack  
Cobbles B2B  
Cobbles comfortBack  
Dawn B2B  
Dawn comfortBack  
DSGN Absolute B2B  
DSGN Absolute comfortBack  
DSGN Cloud B2B  
DSGN Cloud comfortBack  
DSGN Force B2B  
DSGN Force comfortBack  
DSGN Tweed B2B  
DSGN Tweed comfortBack  
Dusk B2B  
Dusk comfortBack  
Fashion& B2B  
Fashion& comfortBack  
First Absolute B2B  
First Absolute comfortBack  
First B2B  
First comfortBack  
First Decode B2B  
First Decode comfortBack  
First Define B2B  
First Define comfortBack  
First Forward B2B  
First Forward comfortBack  
First Straightline B2B  
First Straightline comfortBack  
First Streamline B2B  
First Streamline comfortBack  
First Sway B2B

**RAKENNUSTIETO**

Rakennustieto Oy

Malminkatu 16 A, FI-00100 Helsinki | tel. +358 45 490 0747 | m1@rakennustieto.fi | ymparisto.rakennustieto.fi

First Sway comfortBack  
Fluid& B2B  
Fluid& comfortBack  
Frame B2B  
Frame comfortBack  
Gleam B2B  
Gleam comfortBack  
Grind B2B  
Grind comfortBack  
Haze CP B2B  
Haze CP comfortBack  
Haze LP B2B  
Haze LP comfortBack  
In Groove B2B  
In Groove comfortBack  
Leaf B2B  
Leaf comfortBack  
Millennium Nxtgen B2B  
Millennium Nxtgen comfortBack  
Moss B2B  
Moss comfortBack  
Motion B2B  
Motion comfortBack  
Mxture B2B  
Mxture comfortBack  
Opposite B2B  
Opposite comfortBack  
Opposite Lines B2B  
Opposite Lines comfortBack  
Patchwork B2B  
Patchwork comfortBack  
Pattern B2B  
Pattern comfortBack  
Perpetual& B2B  
Perpetual& comfortBack  
Pixel B2B  
Pixel comfortBack  
Pure Air 100 B2B  
Pure Air 100 comfortBack  
Rocket B2B  
Rocket comfortBack  
Spark B2B  
Spark comfortBack  
Step B2B  
Step comfortBack  
Txture B2B  
Txture comfortBack  
Velvet& B2B  
Velvet& comfortBack  
Vision B2B  
Vision comfortBack  
Willow B2B  
Willow comfortBack

to Emission Class M1. The classification is valid until **08.03.2026**.

Modulyss NV has the right to mark its classified products with the classification label and to use the classification label in the marketing of these products. The classification decision is based on documents

**RAKENNUSTIETO**

Rakennustiето Oy

Malminkatu 16 A, FI-00100 Helsinki | tel. +358 45 490 0747 | m1@rakennustiето.fi | ymparisto.rakennustiето.fi

Classification of Indoor Environment 2018, and Emission Classification of Building Materials, General rules.

**Rakennustieto Oy**



**Laura Apilo**  
Managing Director



**Katri Leino**  
Secretary of the Classification  
Committee

**RAKENNUSTIETO**

**Rakennustieto Oy**

Malminkatu 16 A, FI-00100 Helsinki | tel. +358 45 490 0747 | [m1@rakennustieto.fi](mailto:m1@rakennustieto.fi) | [ymparisto.rakennustieto.fi](http://ymparisto.rakennustieto.fi)