

SHERWOOD CLW 177

PRODUCT DETAILS		TECHNICAL PROPERTIES			
Article Number	LTCLW2003-177-3	Reaction To Fire	EN13501-1	Bfl-s1	Bijist
Dimensions	177 x 1210 mm	Thermal Resistance R-Value 0.0		0.011 (m2K/W)	-
Weight per Package	19.8 kg	Dimensional stability	EN ISO 23999	< 0.1 %	K X K X
Area per Package	3 m ²				
Area per pallet	135 m²	Colour fastness	EN ISO 105- B02	≥ 6	F
Construction	Click 3.5 mm	Slip resistance	EN 13893	DS (>0.3)	<u> </u>
FACTS		Slip resistance	DIN 51130	R10	The second
Design	Wood design	Statical electrical propensity	EN 1815	< 2 kV (antistatic)	Ą
Range	Luxury Tiles				
Collection	Click 3,5 mm Wood Collection	Chemical resistance	EN ISO 26987	Pass with good results	6
Joint	Click5G				
Floor heating	Yes	Effect of castor chair	EN 425	Suitable	6
		Resistance to bacteria and fungi		Good	

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

FACTS

Backside material	IXPE Sound reducing backing
Thickness	3.5 mm

Floating

Installation method

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.