

VALDIVIAN DBW 229-055 - 0.55 MM

Our Luxury Tiles Dry Back collection is available in a wide selection of wood and stone designs. The wood designs range from traditional to rustic, while the stone designs span from classic stone to concrete. It also includes exciting patterns. The Dry Back floors, with a 0.55 mm wear layer, are based on virgin vinyl and constructed in five different layers, topped by a ceramic coating. The result is extremely resilient and strong floors resistant to both scratching and water, which means that these floors are suitable even for spaces exposed to heavy traffic. Just like all our other Luxury Tiles floors, they are phthalate-free.

PRODUCT DETAILS		TECHNICAL PROPERTIES				
Article Number	LTDBW2120-229-5	Reaction To Fire	EN13501-1	Bfl-s1	B _{tt} =1	
Dimensions	229 x 1219 mm	Thermal Resistance R-Value		0.011 (m2K/W)	(The second seco	
Weight per Package	16 kg	Dimensional stability	EN ISO	< 0.1 %	רא צא	
Area per Package	4 m ²		23999			
Area per pallet	265.6 m ²	Colour fastness	EN ISO 105- B02	≥ 6	37	
Construction	Dry back		DUZ		(n.e.)	
		Slip resistance	EN 13893	DS (>0.3)	No.	
FACTS		Slip resistance	DIN 51130	R10	The second	
Design	Wood design	Statical electrical propensity	EN 1815	< 2 kV (antistatic)	F	
Range	Luxury Tiles					
Collection	Dry Back Wood Collection	Chemical resistance	EN ISO	Pass with good results		
Floor heating	Yes		26987			
Thickness	2.5 mm	Effect of castor chair	EN 425	Suitable	6	
		Resistance to bacteria	Resistance to bacteria and fungi		Good	

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Installation method

Glue-down

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Other products in this collection



Gorbea - Dry back




Calder - Dry back



Cormorant - Dry back





Schwarzwald - Dry back



Descriptions & Imagery

All samples, images and produ

idea of the items described in

illustrative purposes only. We

products. Your product may va

Oulanka - Dry back



Stanton - Dry back



Burnham - Dry back

Yukon - Dry back

Niagara - Dry back

Saxon - Dry back

Komi - Dry back



Snowdonia - Dry back



Tongass - Dry back



Taiga - Dry back



Belluno - Dry back



Sarek - Dry back



Whinfell - Dry back



Durmitor - Dry back



Tiveden - Dry back



Sherwood - Dry back




Wentwood - Dry back



Redwood - Dry back



Daintree - Dry back



Waipoua - Dry back



Humboldt - Dry back

Plitvice - Dry back

27.04.2024 AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023



Triglav - Dry back