



## WHINFELL DBW 229-030

Our Luxury Tiles Dry Back collection is available in a wide selection of wood and stone designs. The wood designs range from traditional to rustic, while the stone designs span from classic stone to concrete. It also includes exciting patterns. The Dry Back floors, with a 0.55 mm wear layer, are based on virgin vinyl and constructed in five different layers, topped by a ceramic coating. The result is extremely resilient and strong floors resistant to both scratching and water, which means that these floors are suitable even for spaces exposed to heavy traffic. Just like all our other Luxury Tiles floors, they are phthalate-free.

## PRODUCT DETAILS Product type / Construction Vinyl Flooring / Dry Back LVT Article Number / EAN Code LTDBW2004-229-3 / 7393969113939 Tile Design Design Width x Length x Thickness 9 x 48 x 1/8 35.3 lbs Weight per package Installation method Glue-Down Floor heating

Wear leayer thickness	0"	
TECHNICAL PROPERTIES		
Reaction To Fire	EN13501-1	Bfl-s1
Thermal Resistance R-Value		0.011 (m2K/W)
Dimensional stability	EN ISO 23999	< 0.1 %

EN ISO 105-B02

EN 13893

DIN 51130

EN 1815

	Yes		2/8
	0"		
TIES			
	EN13501-1	Bfl-s1	

≥ 6

R10

DS (>0.3)

< 2 kV (antistatic)







**TECHNICAL PROPERTIES** 

Colour fastness

Slip resistance

Slip resistance

Statical electrical propensity

## Other products in this collection





Triglav - Dry back