



STEELE CLICK 5 MM

The Kährs Luxury Tiles Click floors has been designed for home and public environments that require floors with adhesive-free installation that are both beautiful and tough. They come in a variety of wood and stone designs. Maximum durability and stability is achieved through the rigid core and the unique 5G locking technology, enabling easy installation by clicking the tiles together. The Click floors are made from virgin vinyl with a rigid core. All floors in the collection have IXPE sound reducing backing, effectively controlling noise. The surface is treated with a strong ceramic coating resistant to wear and tear, scratching and water. They can be installed on an existing floor, making the Click floors ideal to use in renovation projects or when you want to retain the existing floor. Just like all our other Luxury Tiles floors, they are phthalate-free.

PRODUCT DETAILS			TECHNICAL PROPERTIES		
Product type / Construction	n Luxury Vinyl Tiles and Planks / Click SPC LVT		Slip resistance	EN 13893	DS (>0.3)
Article Number / EAN Code	e LTCLS3006-300-5 / 7393969113045		Slip resistance	DIN 51130	R10
Design	Tile Design		Statical electrical	EN 1815	< 2 kV (antistatic)
Width x Length x Thickness	300 x 600 x 5 mm		propensity		
Weight per package / per	16.8 kg / 7.64 kg		Scratch resistance	EN16094	Pass with good results
m2			Chemical resistance	EN ISO 26987	Pass with good results
Area per package / per	2.16 m ² / 103.68 m ²		Resistance to bacteria and		Good
pallet			fungi		
Joint	Click5G		Impact sound reduction	EN ISO 10140	20 Δ Lw dB (IXPE
Installation method	Floating				underlayment)
Floor heating	Yes		_		
Wear leayer thickness	0.3 mm		_		
TECHNICAL PROPERTIES					
Reaction To Fire	EN13501-1	Bfl-s1	_		
Thermal Resistance R-Value		0.032 (m2K/W)	_		
Residual indentation	EN ISO 24343-1	< 0.2 mm (*with	_		
		underlayment)			
Dimensional stability	EN ISO 23999	< 0.1 %	_		
Colour fastness	EN ISO 105-B02	≥ 6	_		

Other products in this collection







SCHWARZHORN CLICK

STEELE CLICK

MATTERHORN CLICK