



## OAK CHEVRON LIGHT BROWN

Chevron boards are partially hand-made, giving a unique appearance to every board. Therefore, the tolerance of bevel precision has an allowance of 3 mm for a maximum of three lamellas in a row between a left & right board. Chevron Light Brown is a warm oak floor with occasional knots, cracks and fillings. This is a frame board which is supplied in form of a plank, it can be used to create a boarder around the Chevron patterned design. This product requires an, after installation, maintenance treatment using Kährs Satin Oil Matt.

PRODUCT DETAILS		
Product type / Construction	Wood Flooring / 3-layer parquet	
Article Number / EAN Code	151XADEKWJKW190 / 7393969041836	
Design / Wood Species	Chevron / Oak	
Surface Treatment /	Oil / Stained	
Natural/Stained		
Refining Treatment	Bevelled 4-sided, Brushed, Light smoked	
Width x Length x Thickness	148 x 1900 x 15 mm	
Weight per package / per	18.2 kg / 7.91 kg	
m2		
Area per package / per	2.25 m <sup>2</sup> / 108 m <sup>2</sup>	
pallet		
Grading	Lively	
Joint	Tongue & Groove	
Installation method	Glue-down	
Floor heating	Yes	
Wear leayer material /	Hardwood / 3.5 mm	
thickness		
Resandable	2-3 times	
Core material	Poplar	
Backside material	Oak	

000	LICT	DETAIL	_
PROD	UCI	DETAIL	_S

Hardness (Brinell) value /	3,7 / 2.2 - 5.9	
range		
Warranty	30 years	
TECHNICAL PROPERTIES		
Moisture content	EN13183	7%±2%
Minimun Mean Density		>500 kg/m³
kg/m³		
Reaction To Fire	EN13501-1	Dfl-s1
Formaldehyde Emission	EN717-1	E1
Content PCP	CEN/TR14823	≤ 5 x 10-6n
Breaking Strength N/mm²	EN1533	NPD
Biological Durability	EN350-2	Class 1
CARB2		Compliant
Slip resistance	CEN/TS15676	NPD





## **DETAILED DESCRIPTION**

DDODUCT DETAIL O

Naturally occuring wood colour variations allowed, from light to dark brown.

The product includes medium sound and black knots. Knots may vary in size and numbers.

Oil: This floor should be oiled immediately after installation.

**Colour change**: Stained product - noticable color change over time.

Packages may contain start and stop boards.

