



## **BROWNIE**

PPODLICT DETAILS

Deep and dark tones with a warm glow underneath creates a robust and full-bodied atmosphere.

PRODUCT DETAILS		PRODUCT DETAILS
Product type / Construction	Wood Flooring / 3-layer parquet	Brinell value / range
Article Number / EAN Code	153N6CEKA1KW240 / 7393969041782	LRV / LRV Std1
Design / Wood Species	3-strip / Oak	Warranty
Surface Treatment /	Matt lacquer / Stained	TECHNICAL PROPE
Natural/Stained		- Moisture content
Refining Treatment	Brushed	Minimun Mean Dens
Width x Length x Thickness	200 x 2423 x 15 mm	— kg/m³
Weight per package / per	23 kg / 7.93 kg	Reaction To Fire
m2		Formaldehyde Emiss
Area per package / per	2.9 m <sup>2</sup> / 130.1 m <sup>2</sup>	Content PCP
pallet		
Grading	Lively	Breaking Strength N/
loint	Woodloc® 5S	— Thermal Conductivity
Installation method	Floating, Glue-down	Thermal Resistance F
Floor heating	Yes	Biological Durability
		— CARB2
Wear leayer material /	Hardwood / 3.5 mm	Slip resistance
thickness		
Resandable	2-3 times	SHASSION CLASS
Core material	Pine/Spruce lamella	#M1># A+
Backside material	Spruce	ATAM D.

PRODUC	T DET	TAILS
--------	-------	-------

9		
LRV / LRV Std1	6 / 0.8	
Warranty	30 years	
TECHNICAL PROPERTIES	5	
Moisture content	EN13183	7%±2%
Minimun Mean Density		>500 kg/m³
kg/m³		
Reaction To Fire	EN13501-1	Dfl-s1
Formaldehyde Emission	EN717-1	E1
Content PCP	CEN/TR14823	≤ 5 x 10-6n
Breaking Strength N/mm²	EN1533	NPD
Thermal Conductivity	EN12664	0,14 W/mK
Thermal Resistance R-Value	2	.11 (m2K/W)
Biological Durability	EN350-2	Class 1
CARB2		Compliant
Slip resistance	CEN/TS15676	NPD

3,7 / 2.2 - 5.9









## DETAILED DESCRIPTION

Naturally occuring wood colour variations allowed, from light to dark brown.

The product includes large sound and black knots. Knots may vary in size and numbers.

**Colour change**: Stained product - noticable color change over time.

Packages may contain start and stop boards.

## Other products in this collection

Oak Lava

Oak Limestone

