




## STUDIO OAK AB 9 MM

Oak AB, a 2-layer construction, is a clean oak with some colour variation and small knots with a matt finish. Offered with a variety of surface treatments and patterns.

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	091PABEK09KE050	Wood Species	Oak	Moisture	EN13183	7%±2%
EAN Code	7393969042147	Design	1-strip	content		
Surface treatment	Matt lacquer	Grading	Calm	Minimun Mean Density kg/m³ >500 kg/m³		
Dimensions	70 x 490 mm	Range	Kährs Master	Reaction To Fire	EN13501-1	Cfl-s1
Weight per Package	18.3 kg	Collection	Studio Collection	Formaldehyde Emission	EN717-1	E1
Area per Package	2.6 m <sup>2</sup>	Resandable	2 times			
Package info	Packages may contain start and stop boards.	Natural/Stained	Natural	Content PCP	CEN/TR14823	≤ 5 ppm
		Brinell Value	3,7	Breaking	EN1533	NPD
DETAIL DESCRIPTION		Joint	Tongue & Groove	Strength N/mm <sup>2</sup>		
Even colour with minor variations. Small sized knots in limited numbers allowed.		Floor heating	Yes	Thermal	EN12664	0,14 W/mK
		Warranty	30 years	Conductivity		
		Wear-layer material	Hardwood	Thermal Resistance R-Value		.06 (m2K/W)
Some muting of colour variation to medium, straw brown.		Wear Layer Thickness	3 mm	Biological Durability	EN350-2	Class 1
		Core material	Birch Plywood	CARB2		Compliant
		Thickness	9 mm	Slipperiness	CEN/TS15676	•
		Installation method	Glue-down	Suppermess	CLIW 1313070	THI D

## Other products in this collection



Studio Oak AB 11 mm

## **Descriptions & Imagery**

mm

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

Studio Oak CD 11 mm