



# XPRESSION CHARCOAL

## PRODUCT DETAILS

#### **Article Number** 101515 **Dimensions** 7 x 48 " Weight per Package 35.3 lbs Area per Package 46.3 sqft Area per pallet 3262.5 sqft Construction Dry back Xpression flooring **FACTS** Wood design Design Luxury Tiles Range Collection Xpression PVC-FREE Dry Back Collection - Special Order Floor heating Yes **Thickness** 1/8"

#### TECHNICAL PROPERTIES

Reaction To Fire	EN13501-1	Cfl-s1	
Thermal Resistance R-Value		0.009 (m2K/W)	
Residual indentation	EN ISO 24343-1	< 0.05 mm	
Dimensional stability	EN ISO 23999	< 0.1 %	K N
Colour fastness	EN ISO 105- B02	≥ 6	<b>3</b> 7
Slip resistance	EN 13893	DS (>0.3)	9 (5) 05
Slip resistance	DIN 51130	R9	
Statical electrical propensity	EN 1815	< 2 kV (antistatic)	F
Resistance to bacteria and fungi		Good	

#### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.







FACTS TECHNICAL PROPERTIES

Installation method

Glue-Down

## **Descriptions & Imagery**


All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.







## Other products in this collection



XPRESSION Hazel

### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.





