

XPRESSION DUNE

PRODUCT DETAILS		TECHNICAL PROPERTIES			
Article Number	101512	Reaction To Fire	EN13501-1	Cfl-s1	
Dimensions	7 x 48 "	Thermal Resistance R-Value		0.009 (m2K/W)	-00 F
Weight per Package	35.3 lbs	Residual indentation	EN ISO 24343-1	< 0.05 mm	
Area per Package	46.3 sqft				
Area per pallet	3262.5 sqft	Dimensional stability	EN ISO 23999	< 0.1 %	K X
Construction	Dry back Xpression flooring	Colour fastness	EN ISO 105- B02	≥ 6	^{الم}
Design	Wood design	Slip resistance	EN 13893	DS (>0.3)	R.S. DS
Range	Luxury Tiles	Slip resistance	DIN 51130	R9	
Collection	Xpression PVC-FREE Dry Back Collection - Special Order	Statical electrical propensity	EN 1815	< 2 kV (antistatic)	B
Floor heating	Yes	Resistance to bacteria	Resistance to bacteria and fungi		
Thickness	1/8"				

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



27.04.2024 AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023 Installation method

Glue-Down

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



27.04.2024 AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023

Other products in this collection



XPRESSION American Cherry



XPRESSION Smoked



XPRESSION Dark Grey



XPRESSION Dune



XPRESSION Chestnut



XPRESSION Almond



XPRESSION Charcoal



XPRESSION Cool Grey



XPRESSION Natural



XPRESSION Golden Oak



XPRESSION Hazel

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



27.04.2024 AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023