



# XPRESSION AMERICAN CHERRY

The Kährs Luxury Tiles Dry Back Enomer® floors have been specially developed with health in mind. The range includes PVC and plasticizer free luxury planks and tiles developed and designed to please the eye, as well as benefit the environment. The Enomer® floors are made from a unique material free from PVC, plasticizers, phthalates and halogens. They are anti-static with excellent stain and bacteria resistance. They also have extremely low VOC's – which means that they promote clean and healthy indoor air. Kährs Luxury Tiles Enomer® floors come in a number of wood designs.

PRODUCT DETAILS		TECHNICAL PROPERTIES			
Article Number	101519	Reaction To Fire	EN13501-1	Cfl-s1	
Dimensions	177.8 x 1219.2 mm	Thermal Resistance R-Value		0.009 (m2K/W)	
Weight per Package	15.93 kg	Residual indentation EN ISO 24343-1		< 0.05 mm	
Area per Package	4.33 m <sup>2</sup>	Dimensional stability	EN ISO	< 0.1 %	K N
Area per pallet	303.1 m <sup>2</sup>		23999		
Construction	Dry back Xpression flooring	Colour fastness	EN ISO 105- B02	≥ 6	<b>3</b>
FACTS		Slip resistance	EN 13893	DS (>0.3)	**************************************
Design	Wood design	Slip resistance	DIN 51130	R9	
Range	Luxury Tiles	Statical electrical	EN 1815	< 2 kV (antistatic)	7
Collection	Xpression PVC-FREE Dry Back	propensity			
	Collection	Effect of castor chair	EN 425	Suitable	6
Floor heating	Yes	Resistance to bacteria and fungi		Good	
Thickness	2 mm		Ü		

### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.















**FACTS TECHNICAL PROPERTIES** 

Installation method

Glue-down

### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.


















## Other products in this collection





### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.















