



BWINDI CLA 200

Inspired by the foggy but colorful Bwindi Forest in Uganda, the Bwindi color Aware floor features a soft, gorgeous, and authentic seashell oak color, making it a beautiful choice for any modern space.

PRODUCT DETAILS

| | |
|--------------------|------------------|
| Article Number | LTAWAW1111 |
| Dimensions | 7 7/8 x 71 1/2 " |
| Weight per Package | 34.9 lbs |
| Area per Package | 23.4 sqft |
| Area per pallet | 1121.2 sqft |
| Construction | HDF Click |

DETAIL DESCRIPTION

The Aware Collection is a durable, bio-based, natural luxury tiles floor, designed to withstand the wear and tear of family-life as well as commercial applications (usage class 33), all with the style, beauty, and feel of a wood floor. Based on reclaimed, recycled, and natural fibers, Aware also offers a water resistant surface, elastic properties for high comfort, and sound reducing properties thanks to an integrated cork backing.

FACTS

| | |
|---------------------|--|
| Design | Wood design |
| Use | Commercial, Residential |
| Range | Luxury Tiles |
| Collection | Aware Collection |
| Floor heating | Yes |
| Warranty | 30 years residential/15 years commercial |
| Thickness | 3/8" |
| Installation method | Floating |

TECHNICAL PROPERTIES



| | | |
|--------------------------------|----------------|-------------------------------|
| Application | EN ISO 10874 | CL 23/33 |
| Emission of formaldehyde | E1 | |
| Reaction To Fire | EN13501-1 | Cfl-s1 |
| Formaldehyde Emission | EN717-1 | E1 |
| Thermal Conductivity | EN12664 | 0.118 W/(m*K) |
| CARB2 | Compliant | |
| Residual indentation | EN ISO 24343-1 | < 0.2 mm (*with underlayment) |
| Dimensional stability | EN ISO 23999 | < 0.15 % (80 °C/6 h) |
| Slip resistance | EN 13893 | DS |
| Slip resistance | DIN 51130 | R10 |
| Statical electrical propensity | EN 1815 | < 2 kV (antistatic) |

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



TECHNICAL PROPERTIES

| | | | |
|-------------------------------|--------------|--|---|
| Scratch resistance | EN16094 | MSR-A2 |  |
| Impact sound reduction | EN ISO 10140 | 17 ΔLw dB (Integrated cork underlayment) |  |

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Other products in this collection



Serengeti CLA 200



Rocky CLA 200



Yellowstone CLA 200



Smoky CLA 200



Grand Canyon CLA 200



Kappadokien CLA 200



Bwindi CLA 200



Jasper CLA 200



Yosemite CLA 200

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

