

SMOKY CLA 200

Featuring the vibrant colors of the Smoky Mountains, this design has a rustic wood appearance with shades of red, gold, and brown. Great Smoky is a bold floor that creates a statement any interior.

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES			
Article Number	LTAWAW1118	Design	Wood design	Application	EN ISO	CL 23/33	
Dimensions	7 7/8 x 71 1/2 "	Use	Residential,		10874		
Weight per Package	34.9 lbs		Commercial	Emission of formaldehyde E1			
Area per Package	23.4 sqft	Range	Luxury Tiles	Reaction To	EN13501-	Cfl-s1	
Area per pallet	1121.2 sqft	Collection	Aware Collection	Fire	I		
Construction	HDF Click	Floor heating	Yes	Formaldehyde Emission	EN717-1	E1	
DETAIL DESCRIPTION		Warranty	30 years residential/15 years commercial	Thermal Conductivity	EN12664	0.118 W/(m*K)	
The Aware Collection is a durable, bio-based, natural luxury tiles floor, designed to withstand the wear and tear of family-life as well as commercial applications (usage class 33), all with the style, beauty, and feel of a wood floor. Based on reclaimed, recycled, and natural fibers, Aware also offers a water resistant surface, elastic properties for high comfort, and sound reducing properties thanks to an integrated cork backing.		Thickness	3/8"	CARB2		Compliant	
		Installation method	Floating	Residual indentation	EN ISO 24343-1	< 0.2 mm (*with underlayment)	1
				Dimensional stability	EN ISO 23999	< 0.15 % (80 °C/6 h)	(K X K X
				Slip resistance	EN 13893	DS	The second
				Slip resistance	DIN 51130	R10	K 15
				Statical electrical propensity	EN 1815	< 2 kV (antistatic)	Ŧ

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



TECHNICAL PROPERTIES

Scratch resistance	EN16094	1 MSR-A2	H
Impact sound	EN ISO 10140	17 ∆Lw dB (Integrated cork	٢
reduction	10140	underlayment)	

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Other products in this collection



Serengeti CLA 200



Grand Canyon CLA 200



Yosemite CLA 200



Rocky CLA 200



Kappadokien CLA 200



Yellowstone CLA 200



Bwindi CLA 200



Smoky CLA 200



Jasper CLA 200

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

