



# OAK STRENGTH

The OAK STRENGTH floor has a soft white stain, organic expression with knots and cracks, brushed and beveled boards highlighting the natural texture. The matte lacquer finish protects against wear and eliminates glare creating a modern charm.

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	141XCDEK1WKW195	Wood Species	Oak	Moisture content	EN13183	7%±2%
EAN Code	7393969301725	Design	1-strip	Minimum Mean Density kg/m <sup>3</sup> >500 kg/m <sup>3</sup>		
Surface treatment	Matt lacquer	Grading	Dynamic	Reaction To Fire	EN13501-1	Dfl-s1
Design features	Microbevelled 4-sided, Brushed	Range	Kährs Original	Formaldehyde Emission	EN717-1	E1
Dimensions	190 x 1900 mm	Collection	Zen Collection	Content PCP	CEN/TR14823	≤ 5 ppm
Weight per Package	22.18 kg	Resandable	2-3 times	Breaking Strength N/mm <sup>2</sup>	EN1533	NPD
Area per Package	2.88 m <sup>2</sup>	Natural/Stained	Stained	Thermal Conductivity	EN12664	0,14 W/mK
Area per pallet	129.6 m <sup>2</sup>	Brinell Value	3,7	Biological Durability	EN350-2	Class 1
Package info	Packages may contain start and stop boards.	Joint	Woodloc® 5G			
DETAIL DESCRIPTION		Floor heating	Yes			
		Warranty	30 years			
		Wear-layer material	Hardwood			
		Wear Layer Thickness	2.7 mm			
		Core material	Pine/Spruce lamella			
COLOUR CHANGE		Backside material	Veneer			
		Thickness	14 mm			
		Installation method	Floating, Glue-down			
		LRV	50			

All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes large sound and black knots. Knots may vary in size and numbers

Stained product - noticeable color change over time.

Other products in this collection



OAK WISDOM



OAK HAPPINESS



OAK JOY



OAK CALM



OAK STRENGTH

CERTIFICATES



Descriptions & Imagery

*All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.*