

## OAK YARROW

With a light stain lightening the tone of the natural oak raw-material, a luminescent golden touch has been added to Oak Yarrow. The oiled surface, brushed to soften the cracks and knots allows each board to demonstrate the natural wood grain of the material while still retaining the subtilty of this floor – in both its visual and tactile impression.

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	131245200	Wood Species	Oak	Moisture	EN13183	7%±2%
EAN Code	7393969302487	Design	1-strip	content		
Surface Treatment	Oil This floor should be oiled immediately after installation.	Grading	Dynamic	Minimun Mean	Density kg/m <sup>3</sup>	>500 kg/m <sup>3</sup>
		Range	Kährs Wood Classic	Reaction To Fire	EN13501-1	Dfl-s1
		Collection	Flora Collection	Formaldehyde Emission Content PCP	EN717-1	E1
Refining Treatment	Microbevelled 4-sided,	Natural/Stained	Stained			
	Brushed	Brinell Value	3,7		CEN/TR14823	≤ 5 x 10-6n
Dimensions	187 x 2000 mm	loint	Woodloc® 5G	Breaking Strength N/mm <sup>2</sup>	EN1533	NPD
Weight per Package	21 kg	Floor heating	Yes			
Area per Package	2.99 m <sup>2</sup>	Wear-layer material	Hardwood		5140664	0.4.4.4.4
Area per pallet	134.55 m <sup>2</sup>	-		Thermal EN12664	EN12664	0,14 W/mK
Package info	Packages may contain start and stop boards.	Wear Layer Thickness	2.6 mm			
		Core material	Pine/Spruce lamella	Thermal Resista	Thermal Resistance R-Value	
		Backside material	Spruce	Biological Durability	EN350-2	Class 1
DETAIL DESCRIPTION			13 mm	CARB2		Compliant
allowed, from light to dark brown. The product		Installation method	Floating, Glue-down	Slipperiness	CEN/TS15676	Compliant NPD
		LRV	36			

numbers.

## Other products in this collection





OAK ASTER



OAK EDELWEISS



OAK GENTIAN

## CERTIFICATES

OAK YARROW



## **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023