



## OAK MISTRAL

In a misty white tone, Oak Mistral gives a light yet warm foundation in any space with its blanched wash, overlaying the wood grain and each individual knot and crack. All contrasts are softened further by each plank being carefully brushed while still bringing out the natural wood grain texture.

PRODUCT DETAILS		
Product type / Construction	Wood Floors / 3-layer parquet	
Article Number / EAN Code	141XDDEKFVKW225 / 7393969304498	
Design / Wood Species	1-strip / Oak	
Surface treatment /	Oil / Stained	
Natural/Stained		
Design features	Microbevelled 4-sided, Brushed	
Width x Length x Thickness	220 x 2200 x 14 mm	
Weight per package	23 kg	
Area per package / per	2.904 m <sup>2</sup> / 127.78 m <sup>2</sup>	
pallet		
Grading	Dynamic	
Joint	Woodloc® 5G	
Installation method	Floating, Glue-down	
Floor heating	Yes	
Wear leayer material /	Hardwood / 2.5 mm	
thickness		
Resandable	2-3 times	
Core material	Pine/Spruce lamella	
Hardness (Brinell) value /	3,7 / 2.2 - 5.9	
range		

PRODUCT DETAILS		
Warranty	30 years	
TECHNICAL PROPERTIES		
Moisture content	EN13183	7%±2%
Minimun Mean Density		>500 kg/m³
kg/m³		
Reaction To Fire	EN13501-1	Dfl-s1
Formaldehyde Emission	EN717-1	E1
Content PCP	CEN/TR14823	≤ 5 ppm
Breaking Strength N/mm²	EN1533	NPD
Thermal Conductivity	EN12664	0,14 W/mK

EN350-2



**Biological Durability** 



## **DETAILED DESCRIPTION**

All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Partly filled knots and cracks will be present in all sizes and numbers. Any flaking in the wood-surface is due to the hand-crafting technique used on the surface to create the design and is permitted without restriction.

Oil: This floor should be oiled immediately after installation.

Colour change: Stained product - noticable color change over time.

Packages may contain start and stop boards.

Class 1

## Other products in this collection







OAK BOREAS

OAK EURUS

OAK MISTRAL