



YUKON CLW 172

PRODUCT DETAILS TECHNICAL PROPERTIES

Article Number	LTCLW2102-172	Reaction To Fire	EN13501-1	Bfl-s1	B _{IT} s1
Dimensions	172 x 1210 mm	Thermal Resistance R-Value		0.032 (m2K/W)	6
Weight per Package	16.2 kg	Residual indentation	EN ISO	< 0.2 mm (*with underlayment)	
Area per Package	2.1 m²		24343-1		
Area per pallet	104 m²	Dimensional stability	EN ISO 23999	< 0.1 %	K N
FACTS	Click 5 mm	Colour fastness	EN ISO 105- B02	≥ 6	F
Design	Wood design	Slip resistance	EN 13893	DS (>0.3)	
Range	Luxury Tiles	Slip resistance	DIN 51130	R10	975
Collection	Click 5 mm Wood Collection	Statical electrical propensity	EN 1815		7
Joint	Click5G				
Floor heating	Yes	Scratch resistance	EN16094	Pass with good results	
		Chemical resistance	EN ISO 26987	Pass with good results	₹ ⊖
		Resistance to bacteria and fungi		Good	

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.









TECHNICAL PROPERTIES

Impact soundEN ISO20 ΔLw dB (IXPEreduction10140underlayment)



Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.











Other products in this collection



Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.









