



KEBNEKAISE CLS 300

PRODUCT DETAILS TECHNICAL PROPERTIES

| Article Number | LTCLS3005-300 | Application | EN ISO 10874 | 23/33/42 | |
|--------------------|-----------------------------|--------------------------------|-----------------|------------------------------|--------------------|
| Dimensions | 300 x 600 mm | | | | |
| Weight per Package | 17.6 kg | Emission of formaldehyde | | E1 | |
| Area per Package | 1.8 m² | Reaction To Fire | EN13501-1 | Bfl-s1 | B _{IT} S1 |
| Area per pallet | 86.4 m² | Formaldehyde Emission | EN717-1 | E1 | |
| | Click 6 mm | Thermal Resistance R-Value | | 0.035 (m2K/W) | , p |
| FACTS | | Residual indentation | EN ISO | < 0.2 mm (*with underlayment | i) 🗐 |
| Design | Stone design | | 24343-1 | | |
| Range | Luxury Tiles | Dimensional stability | EN ISO 23999 | < 0.1 % | K N |
| Collection | Click 6 mm Stone Collection | Colour fastness | EN ISO 105- | > 6 | P |
| Joint | Click5G | Colour lustriess | B02 | | |
| Floor heating | Yes | Slip resistance | EN 13893 | DS (>0.3) | 1975 08 |
| | | Slip resistance | DIN 51130 | R10 | 9 <u>7</u> 5 |
| | | Statical electrical propensity | EN 1815 | < 2 kV (antistatic) | F |

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.









TECHNICAL PROPERTIES

| Scratch resistance | EN16094 | Pass with good results | |
|---------------------------------|------------------|----------------------------------|--|
| Chemical resistance | EN ISO 26987 | Pass with good results | |
| Resistance to bacteria an | nd fungi | Good | |
| Impact sound reduction | EN ISO 10140 | 20 ΔLw dB (IXPE underlayment) | |
| Commercial usage classification | EN 14354:2017 | Class 33 | |

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.










Other products in this collection



Steele - Click 6 mm

Kebnekaise - Click 6 mm

Grossglockner - Click 6 mm

Lucania - Click 6 mm

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.









