



OAK DAHLIA MATT

Oak Dahlia Matt allows the natural oak to radiate in its purest form, free from staining, with the warm tones of the wood penetrating the lacquered surface seamlessly. The boards are carefully brushed to highlight the wood's grain, gently softening its texture. The natural variations in color remain, celebrating the authenticity of the raw material.

PRODUCT DETAILS

| | |
|-----------------------------|--------------------------------|
| Product type / Construction | Wood Floors / 3-layer parquet |
| Article Number / EAN Code | 131258200 / 7393969305341 |
| Design / Wood Species | Plank / Oak |
| Surface treatment / | Matt lacquer / Natural |
| Natural/Stained | |
| Design features | Microbevelled 4-sided, Brushed |
| Width x Length x Thickness | 187 x 2000 x 13 mm |
| Weight per package / per | 21 kg / 7.2 kg |
| m2 | |
| Area per package / per | 2.99 m² / 134.55 m² |
| pallet | |
| Grading | Lively |
| Joint | Woodloc® 5G |
| Installation method | Floating, Glue-down |
| Floor heating | Yes |
| Wear leayer material / | Hardwood / 2.6 mm |
| thickness | |
| Resandable | 2-3 times |
| Core material | Pine/Spruce |
| Backside material | Spruce |

PRODUCT DETAILS

| | |
|----------------------------|-----------------|
| Hardness (Brinell) value / | 3,7 / 2.2 - 5.9 |
| range | |
| LRV / LRV Std1 / LRV Std2 | 38 / 4.1 / 8.2 |
| Warranty | 20 years |

TECHNICAL PROPERTIES

| | | |
|-------------------------|-------------|------------|
| Moisture content | EN13183 | 7%±2% |
| Minimum Mean Density | | >500 kg/m³ |
| kg/m³ | | |
| Reaction To Fire | EN13501-1 | Dfl-s1 |
| Formaldehyde Emission | EN717-1 | E1 |
| Content PCP | CEN/TR14823 | ≤ 5 ppm |
| Breaking Strength N/mm² | EN1533 | NPD |
| Thermal Conductivity | EN12664 | 0,11W/mK |
| Biological Durability | EN350-2 | Class 1 |
| CARB2 | | Compliant |
| Slip resistance | CEN/TS15676 | NPD |



DETAILED DESCRIPTION

Calm appearance with moderate color variations and few knots. The product includes small and medium sized knots. Knot holes and small cracks are repaired with filler.

Colour change: Some muting of color variation to medium, straw brown.

Packages may contain start and stop boards.

Descriptions & Imagery

Other products in this collection



OAK YARROW



OAK ASTER MATT



OAK EDELWEISS



OAK GENTIAN



OAK ASTER OILED



OAK ANEMONE



OAK DAHLIA MATT



OAK DAHLIA OILED



OAK BUTTERCUP



OAK MARGUERITE



OAK ALP ROSE



OAK PRIMROSE



OAK LUPINE



OAK LAVENDER



OAK ZINNIA