



Accessories / Installation / **Installation**

## KÄHRS LT ACOUSTIC UNDERLAY 2MM

This acoustic underlay was designed specifically for the installation (with single-sided fixation) under LVT floors to reduce impact sound and walking noise.

Permanently elastic underlay material made of mineral fillers and polyurethane binders, this acoustic underlay was designed specifically for the installation (with single-sided fixation) under LVT floors with the scope to reduce impact sound and walking noise.

Strong resistance to pressure and very good dimensional stability

High water vapor resistance

Improvement of the walking comfort (absorbing characteristics)

Excellent compression strength

High Reduction of impact sound

Excellent long-term walking sound reduction

Special self-adhesive surface for efficient installations

Suitable for underfloor heating, least possible thermal resistance

Age resistance > 50 years

Immediately walk-on-able

Removable extreme time-saving and residue-free

100 % recyclable, odor and dust free

### TECHNICAL DATA

Material: PU + mineral fillers + castor oil

Type of format: roll 1 x 8m

Thickness: 2 mm

Impact Sound IS:  $16 \pm 2$ Db

Reflected walking sound: up to 7%

Compressive strength CS: 450 kPa

Compressive creep CC: 50 kPa

Punctual conformability PC : 0,79 mm

Thermal resistance TR: 0.01 m<sup>2</sup>K/W

Water vapor resistance SD: 75 m

Residual indentation: <0.20 mm

Reaction to fire: Bfl-s1

## Product details

Article Number	710192
Name	KÄHRS LT ACOUSTIC UNDERLAY 2MM
EAN Code	7393969305112
Application area	Residential/Commercial
Accessory type	Installation
Weight per Package	16 kg
Length	8000 mm
Width	1000 mm

## **Descriptions & Imagery**

*All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.*