



# WENTWOOD DBW 229 - 0.7 MM

## PRODUCT DETAILS TECHNICAL PROPERTIES

Article Number	LTDBW2007-229	Reaction To Fire	EN13501-1	Bfl-s1	Brest
Dimensions	9 x 48 "	Thermal Resistance R-Value		0.011 (m2K/W)	- P
Weight per Package	36.2 lbs	Dimensional stability	EN ISO	< 0.1 %	KZ
Area per Package	42 sqft		23999		
Area per pallet	2854.6 sqft	Colour fastness	EN ISO 105- B02	≥ 6	<b>3</b>
Construction	Dry back	Slip resistance	EN 13893	DS (>0.3)	- KG
FACTS		Slip resistance	DIN 51130	R10	P. S.
Design	Wood design	Statical electrical propensity	EN 1815	< 2 kV (antistatic)	F
Range	Luxury Tiles				
Collection	Dry Back Wood Collection - Special Order	Chemical resistance	EN ISO 26987	Pass with good results	<b>₹</b>
Floor heating	Yes	Resistance to bacteria and fungi		Good	
Thickness	1/8"				

### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.









FACTS TECHNICAL PROPERTIES

Installation method

Glue-Down

### **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.












#### Other products in this collection















Triglav - Dry back