

TRIGLAV DBW 229 - 0.7 MM

Our Luxury Tiles Dry Back collection is available in a wide selection of wood and stone designs. The wood designs range from traditional to elegant herringbone and rustic, while the stone designs span from classic stone to concrete. It also includes exciting patterns. The Dry Back floors, with a 0.7 mm wear layer, are based on virgin vinyl and constructed in five different layers, topped by a ceramic coating. The result is extremely resilient and strong floors resistant to both scratching and water, which means that these floors are suitable even for spaces exposed to heavy traffic. Just like all our other Luxury Tiles floors, they are phthalate-free.

| PRODUCT DETAILS | | TECHNICAL PROPERTIES | | | |
|--------------------|--------------------------|--------------------------------|-----------------|------------------------|---|
| Article Number | LTDBW2117-229 | Reaction To Fire | EN13501-1 | Bfl-s1 | B _m s1 |
| Dimensions | 228.6 x 1219.2 mm | Thermal Resistance R-Value | | 0.011 (m2K/W) | Con pr |
| Weight per Package | 16.4 kg | Dimensional stability | EN ISO 23999 | < 0.1 % | ГК Л И У |
| Area per Package | 3.9 m ² | | | | |
| Area per pallet | 265.2 m ² | Colour fastness | EN ISO 105- | ≥ 6 | 5r |
| Construction | Dry back | | B02 | | |
| | | Slip resistance | EN 13893 | DS (>0.3) | DS- |
| FACTS | | Slip resistance | DIN 51130 | R10 | The second se |
| Design | Wood design | Statical electrical propensity | EN 1815 | < 2 kV (antistatic) | B |
| Range | Luxury Tiles | | | | |
| Collection | Dry Back Wood Collection | Chemical resistance | EN ISO | Pass with good results | |
| Floor heating | Yes | | 26987 | | |
| Thickness | 2.5 mm | Effect of castor chair | EN 425 | Suitable | 5 |
| | | Resistance to bacteria a | | Good | |

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Installation method

Glue-down

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Other products in this collection



Gorbea - Dry back




Calder - Dry back



Cormorant - Dry back





Schwarzwald - Dry back



Descriptions & Imagery

All samples, images and produ

idea of the items described in

illustrative purposes only. We

products. Your product may va

Oulanka - Dry back



Stanton - Dry back



Burnham - Dry back



Snowdonia - Dry back



Tongass - Dry back



Taiga - Dry back



Belluno - Dry back



Sarek - Dry back



Whinfell - Dry back



Humboldt - Dry back



Durmitor - Dry back



Tiveden - Dry back



Sherwood - Dry back



Wentwood - Dry back



Redwood - Dry back



Daintree - Dry back



06.05.2024 AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023



Waipoua - Dry back



Komi - Dry back







Saxon - Dry back





Triglav - Dry back