

## SCHWARZWALD DBW 229 - 0.7 MM

| PRODUCT DETAILS    |   | TECHNICAL PROPERTIES       |                                  |                        |            |
|--------------------|---|----------------------------|----------------------------------|------------------------|------------|
| Article Number     | LTDBW2104-229                               | Reaction To Fire           | EN13501-1                        | Bfl-s1                 | Bijst      |
| Dimensions         | 9 x 48 "                                    | Thermal Resistance R-Value |                                  | 0.011 (m2K/W)          |            |
| Weight per Package | 36.2 lbs                                    | Dimensional stability      | EN ISO<br>23999                  | < 0.1 %                | K X<br>K Y |
| Area per Package   | 42 sqft                                     |                            |                                  |                        |            |
| Area per pallet    | 2854.6 sqft                                 | Colour fastness            | EN ISO 105-                      | ≥ 6                    | 37         |
| Construction       | Dry back                                    |                            | B02                              |                        |            |
|                    |   | Slip resistance            | EN 13893                         | DS (>0.3)              | 2 K.       |
| FACTS              |   | Slip resistance            | DIN 51130                        | R10                    | The state  |
| Design             | Wood design                                 | Statical electrical        | EN 1815                          | < 2 kV (antistatic)    | <i>F</i>   |
| Range              | Luxury Tiles                                | propensity                 | ENTOTS                           |                        |            |
| Collection         | Dry Back Wood Collection -<br>Special Order | Chemical resistance        | EN ISO<br>26987                  | Pass with good results |            |
| Floor heating      | Yes   | Resistance to bacteria     | Resistance to bacteria and fungi |                        |            |
| Thickness          | 1/8"  |                            |                                  |                        |            |

## **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Installation method

Glue-Down

## **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



## Other products in this collection



Gorbea - Dry back




Calder - Dry back



Cormorant - Dry back





Schwarzwald - Dry back



**Descriptions & Imagery** 

All samples, images and produ

idea of the items described in

illustrative purposes only. We

products. Your product may va

Oulanka - Dry back



Stanton - Dry back



Burnham - Dry back

Yukon - Dry back

Niagara - Dry back

Saxon - Dry back

Komi - Dry back



Snowdonia - Dry back



Tongass - Dry back



Taiga - Dry back



Belluno - Dry back



Sarek - Dry back



Whinfell - Dry back



Humboldt - Dry back



Durmitor - Dry back



Tiveden - Dry back



Sherwood - Dry back



Wentwood - Dry back



Redwood - Dry back



Daintree - Dry back



24.04.2024 AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023



Waipoua - Dry back





Triglav - Dry back