



OAK NOUVEAU WHITE

Oak Nouveau White is a 1-strip floor with a brushed, white pigmented, matt lacquer finish.

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	151L8AEK1DKW240	Wood Species	Oak	Moisture	EN13183	7%±2%
EAN Code	7393969026031	Design	1-strip	content		
Surface Treatment	Matt lacquer	Grading	Lively	Minimun Mean Density kg/m³ >500 kg/m³		>500 kg/m ³
Refining Treatment	Bevelled 4-sided,	Range	Kährs Original	Reaction To Fire	EN13501-1	Dfl-s1
Dimensions	187 x 2420 mm	Collection	Classic Nouveau Collection	Formaldehyde Emission	EN717-1	E1
Weight per Package	22 kg	Natural/Stained	Stained	Content PCP	CEN/TR14823	≤ 5 x 10-6n
Area per Package	2.7 m ²	Brinell Value	3,7	Breaking EN153 Strength N/mm²	EN1533	NPD
Area per pallet	122.4 m ²	Joint	Woodloc® 5S			
Package info	Packages may contain start and stop boards.	Floor heating	Yes		EN110664	0.14111/
			25 years	Thermal Conductivity	EN12664 i ty	0,14 W/mK
DETAIL DESCRIPTION		Wear-layer material	Hardwood	Thermal Resistance R-Value		.11 (m2K/W)
All naturally occuring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers. COLOUR CHANGE		Wear Layer Thickness	3.5 mm	Biological	Biological EN350-2	Class 1
		Core material	Pine/Spruce lamella	Durability		
			15 mm	CARB2		Compliant
		Installation method	Floating, Glue-down	Slipperiness	CEN/TS15676	NPD
		Surface Colour	White			

Stained product - noticable color change over time.

Other products in this collection



Oak Nouveau Lace



Oak Nouveau Rich



Oak Nouveau Blonde



Oak Nouveau Gray



Oak Nouveau Tawny



Oak Nouveau Greige



Oak Nouveau White



Oak Nouveau Snow



Oak Nouveau Black

CERTIFICATES









Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.