

DOVECOT CLW 218

| PRODUCT DETAILS | | TECHNICAL PROPERTIES | | | |
|---------------------|----------------------------|--------------------------------|-----------------|-------------------------------|--------------------|
| Article Number | LTCLW2201-218 | Application | EN ISO | 23/33/42 | |
| Dimensions | 8 5/8 x 72 " | | 10874 | | |
| Area per pallet | 1178.6 sqft | Emission of formaldehyde | | E1 | |
| Construction | Click 6 mm Impression | Reaction To Fire | EN13501-1 | Bfl-s1 | B _{IT} s1 |
| FACTS | | Formaldehyde Emission | EN717-1 | E1 | |
| Design | Wood design | Thermal Resistance R-\ | /alue | 0.035 (m2K/W) | |
| Range | Luxury Tiles | Residual indentation | EN ISO | < 0.2 mm (*with underlayment) | |
| Collection | Impression Wood Collection | | 24343-1 | | |
| Joint | Click5G | Dimensional stability | EN ISO 23999 | < 0.1 % | K N K V |
| Floor heating | Yes | Colour fastness | EN ISO 105- | > 6 | 32 |
| Thickness | 1/4" | | B02 | | |
| Installation method | Floating | Slip resistance | EN 13893 | DS (>0.3) | NEN DS |
| | | Slip resistance | DIN 51130 | R10 | SC - |
| | | Statical electrical propensity | EN 1815 | < 2 kV (antistatic) | Z |

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



TECHNICAL PROPERTIES

| Scratch resistance | EN16094 | Pass with good results | H |
|---------------------------------|-----------------|----------------------------------|---|
| Chemical resistance | EN ISO 26987 | Pass with good results | |
| Resistance to bacteria an | ıd fungi | Good | |
| Impact sound reduction | EN ISO 10140 | 20 ΔLw dB (IXPE underlayment) | 0 |
| Commercial usage classification | EN 14354:201 | Class 33 7 | |

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.



Other products in this collection



Laponia - Click 6 mm Impression



Foxall - Click 6 mm Impression



Odenwald - Click 6 mm Impression



Balmoral - Click 6 mm Impression



Kelham - Click 6 mm Impression



Spreewald - Click 6 mm Impression



Saham - Click 6 mm Impression



Dovecot - Click 6 mm Impression

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

