



FOXALL CLW 218

"Kährs Luxury Tiles Impression FOXALL. Gulv med tredesign i klassiske lyse toner forsterker lyset og skaper en fin balanse mellom innsiden og utsiden. Verken støvler eller skarpe klør setter noen varige spor. Det kan ta århundrer, til og med årtusener, for naturen å skape de vakre uttrykkene vi ser i materialer som tre og stein. Kvistene, sprekker og strukturen avslører hemmeligheter fra materialets fortid og skaper unike funksjoner som harmonerer perfekt med vår menneskelige ånd. Med inntrykk vi har valgt en samling med vakre, naturlige tre- og steinkonstruksjoner nøye og gjenskapt dem med nøye oppmerksomhet til hver eneste detalj. Fra varm, innbydende eik til elegant, tidløs granitt. For inntrykk som varer livet ut."

PRODUCT DETAILS

Article Number	LTCLW2204-218
Dimensions	220 x 1829 mm
Weight per Package	15.9 kg
Area per Package	1.61 m ²
Area per pallet	109.5 m ²
Construction	Click 6 mm Impression

FACTS

Design	Wood design
Range	Luxury Tiles
Collection	Impression Wood Collection
Joint	Click5G
Floor heating	Yes

TECHNICAL PROPERTIES

Application	EN ISO 10874	23/33/42	
Effect of furniture leg	EN ISO 16581	No visible damage/Change	
Emission of formaldehyde		E1	
Reaction To Fire	EN13501-1	Bfl-s1	
Formaldehyde Emission	EN717-1	E1	
Thermal Resistance R-Value		0.035 (m2K/W)	
Residual indentation EN ISO 24343-1		< 0.2 mm (*with underlayment)	
Dimensional stability	EN ISO 23999	< 0.1 %	
Colour fastness	EN ISO 105-B02	≥ 6	
Slip resistance	EN 13893	DS (>0.3)	
Slip resistance	DIN 51130	R10	






Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

15.04.2024

AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023

TECHNICAL PROPERTIES

Statical electrical propensity	EN 1815	< 2 kV (antistatic)	
Scratch resistance	EN16094	Pass with good results	
Chemical resistance	EN ISO 26987	Pass with good results	
Effect of castor chair	EN 425	Suitable	
Resistance to bacteria and fungi		Good	
Impact sound reduction	EN ISO 10140	20 ΔLw dB (IXPE underlayment)	
Commercial usage classification	EN 14354:2017	Class 33	

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

15.04.2024

AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2023

Other products in this collection



Laponia - Click 6 mm
Impression



Odenwald - Click 6 mm
Impression




Kelham - Click 6 mm
Impression



Saham - Click 6 mm
Impression



Foxall - Click 6 mm
Impression



Balmoral - Click 6 mm
Impression



Spreewald - Click 6 mm
Impression



Dovecot - Click 6 mm
Impression

Descriptions & Imagery

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.