




## BELLUNO DBW 229 - 0.7 MM

PRODUCT DETAILS		TECHNICAL PROPERTIES			
Article Number	LTDBW2111-229	Reaction To Fire	EN13501-1	Bfl-s1	B <sub>II</sub> -s1
Dimensions	228.6 x 1219.2 mm	Thermal Resistance R-Value		0.011 (m2K/W)	( p
Area per pallet	265.2 m² Dry back	Dimensional stability	EN ISO 23999	< 0.1 %	K N
FACTS		Colour fastness	EN ISO 105- B02	≥ 6	<b>3</b>
Design	Wood design	Slip resistance	EN 13893	DS (>0.3)	7 ( ) DS
Range	Luxury Tiles	Slip resistance	DIN 51130	R10	
Collection	Dry Back Wood Collection	Statical electrical	EN 1815	< 2 kV (antistatic)	
Floor heating	Yes	propensity	LIVIOIS	· Z KV (diltistatic)	
	2.5 mm	Chemical resistance	EN ISO	Pass with good results	<b>₹</b>
Installation method	Glue-down		26987		
		Resistance to bacteria and fungi		Good	

## **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.

## Other products in this collection





Triglav - Dry back