

The logo for Kährs, featuring the brand name in a bold, white, sans-serif font with a registered trademark symbol (®) to the upper right of the 's'.

Kährs[®]


QUALITY IN WOOD SINCE 1857

THE COMPLETE KÄHRS FLOORING SYSTEM

MOLDING PROFILE GUIDE




Kährs - Complete Flooring System - Moldings



Quarter Round

Conceals expansion space between the wall and Kährs hardwood flooring. Also used to transition between wood flooring and cabinetry.


All Floors 3/4" x 3/4" x 78" 10lbs 10 pieces



Wall Base

Provides an elegant, traditional transition from the flooring to wall. Gives any room a more formal, finished appearance.

All Floors 5/8" x 3 1/2" x 78" 25lbs 5 pieces




T-Molding


Used in doorways to blend flooring surfaces in adjoining rooms or where floors of the same thickness meet

All Floors 2" x 11/16" x 78" 25lbs 5 pieces

7mm/10mm



12mm/13mm/15mm



Square Nose Reducer

Installed against vertical surfaces such as patio doors or fireplace hearths.

Kährs Linnea (7mm) 1 1/2" x 3/4" x 78" 10lbs 5 pieces
Kährs Spirit (10mm)

Kährs Avanti (12-13mm) 1 1/2" x 7/8" x 78" 10lbs 5 pieces
Kährs Original (15mm)




Kährs - Complete Flooring System - Moldings

Threshold


Ideal for doorways or to transition between floors of different heights. Used with wood, tile or carpet.

Kährs Linnea (7mm) Kährs Spirit (10mm)	2" x 3/4" x 78"	10lbs	10 pieces
Kährs Avanti (12mm & 13mm) Kährs Original (15mm)	2" x 7/8" x 78"	10lbs	5 pieces

7mm | 10mm



12mm | 13mm | 15mm




Overlap Reducer


Used with floating floor applications to provide a smooth transition between floors of different heights. Overlap profile allows the installed flooring to expand and contract.

Kährs Linnea (7mm)	1/2" x 3/8" x 78"	10lbs	5 pieces
Kährs Spirit (10mm)	2" x 3/4" x 78"	10lbs	5 pieces
Kährs Avanti (12mm & 13mm) Kährs Original (15mm)	2 3/8" x 3/4" x 78"	10lbs	5 pieces


7mm



10mm



12mm | 13mm | 15mm



Transition Profile

T-Molding 7mm, 10mm	1 1/2"
T-Molding 12mm, 13mm, 15mm	1 1/2"
Square Nose 7mm, 10mm	7/8"
Square Nose 12mm, 13mm, 15mm	1 1/4"
Threshold 7mm, 10mm	3/8"
Threshold 12mm, 13mm, 15mm	1 3/8"
Overlap Reducer 7mm	1 3/8"
Overlap Reducer 10mm	2 1/8"
Overlap Reducer 12mm, 13mm, 15mm	2 1/4"

Setback Distance

1 1/2"
1 1/2"
7/8"
1 1/4"
3/8"
1 3/8"
1 3/8"
2 1/8"
2 1/4"




Kährs - Complete Flooring System - Moldings


Overlap Stair Nosings

Kährs Linnea (7mm)	2" x 13/16" x 78"	20lbs	5 pieces
Kährs Spirit (10mm)	3" x 13/16" x 78"	20lbs	5 pieces
Kährs Avanti & Kährs Original (12mm, 13mm, 15mm)	3" x 13/16" x 78"	20lbs	5 pieces


7mm



10mm



12mm | 13mm | 15mm






Kährs - Complete Flooring System - Moldings


Woodloc® Stair Nosings

Kährs Spirit (10mm)	2 3/4" x 3/4" x 78"	20lbs	5 pieces
Kährs Avanti (12mm)	2 3/4" x 3/4" x 78"	20lbs	5 pieces
Kährs Avanti (13mm)	3" x 13/16" x 78"	20lbs	5 pieces
Kährs Original (Prime 14mm)	2 7/8" x 13/16" x 78"	20lbs	5 pieces
Kährs Original (15mm)	3" x 13/16" x 78"	20lbs	5 pieces
Kährs Original (Artisan 15mm)	3 7/20" x 4/5" x 78"	20lbs	5 pieces


10mm




12mm




13mm




14mm



15mm



15mm Artisan



WHY KÄHRS?

- SWEDISH QUALITY SINCE 1857
- NO ACCLIMATION NEEDED / NO PRE-DELIVERY
- PASSION FOR GREAT DESIGN
- WOODLOC® - NO GAPPING!
- LOWEST CLAIMS IN THE INDUSTRY
- HARMONIOUS ENVIRONMENTAL BALANCE
- SAFE FOR YOU AND YOUR FAMILY
- APPROVED FOR INSTALLATIONS OVER RADIANT HEATING



940 Centre Circle, Suite 1000,
Altamonte Springs,
Florida, 32714
Tel: 1.800.800.5247
Fax: 407.260.9933
info.us@kahrs.com

LEARN MORE ABOUT US
AND OUR FLOORS AT
WWW.KAHR.S.COM