SAFETY DATA SHEET

Kährs Cleaner / Kährs Spray Cleaner



SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 02.07.2014

1.1. Product identifier

Product name Kährs Cleaner / Kährs Spray Cleaner

Article no. 710518, 710529, 710804

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Downstream user

Company name AB Gustaf Kähr

Office address Box 805

Postal address Box 805

Postcode SE-382 28

City Nybro

Country Sweden

Telephone number +46 481 460 00

Fax +46 48117831

Email <u>info@kahrs.se</u>

Website www.kahrs.se

Company name Synteko AB

Postal address Olof Wijksväg 9

Postcode SE-444 65

City Jörlanda

Country Sverige

Telephone number 0046 303-563 30

Fax 0046 303-563 32

Email <u>info@synteko.com</u>

Website http://www.synteko.com

Contact person info@kahrs.se

1.4. Emergency telephone number

Emergency telephone Telephone number: 112

Description: In case of medical emergency call

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.2. Label elements

Composition on the label propylheptanol ethoxylate < 1 %

2.3. Other hazards

Other hazards When spray applying see section 8.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents
propylheptanol ethoxylate	CAS No.: 160875-66-1	Eye Dam. 1; H318	< 1 %
		Acute tox 4: H302	

SECTION 4: First aid measures

4.1. Description of first aid measures

Get medical advice/attention if you feel unwell. Never give anything by mouth to

an unconscious person.

Inhalation Use with adequate ventilation.

Skin contact Remove/Take off immediately all contaminated clothing. IF ON SKIN: Gently

wash with plenty of soap and water. Do NOT use solvents or thinners.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Ingestion Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

General symptoms and effects No specific symptoms exist.

4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment No specific treatment necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended extinguishing media: alcohol resistant foam, CO2, powders,

water spray. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

Fire will produce dense black smoke. Decomposition products can be hazardous. At high temperatures create: Carbon monoxide (CO), carbon dioxide (CO2), smoke, nitrogen gases (NOx).

5.3. Advice for firefighters

Personal protective equipment

Wear respiratory protection.

Other information

Eliminate all ignition sources if safe to do so. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

See section 7 and 8.

Personal protection measures

In case of inadequate ventilation wear respiratory protection. Wear fire / flame resistant / retardant clothing. Use personal protective equipment as required. Wear cold insulating gloves / face shield / eye protection. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/ attention if you feel unwell.

6.2. Environmental precautions

Environmental precautionary measures

Collect spillage. Avoid release to the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Cleaning method

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

6.4. Reference to other sections

Other instructions 7, 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling Avoid spilling, skin- and eye contact. Avoid breathing dust / fume / gas / mist /

vapours / spray. Avoid breathing dust.

Protective safety measures

Protective safety measures Smoking, eating and drinking should be prohibited in application area. Remove

contaminated clothing and protective gear before you get to an area where meals

are taken.

Additional information Never use pressure to empty: container is not a pressure vessel. For personal

protection see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep only in original container.

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect

from sunlight. Store in a dry place. Comply with the health and safety at work $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right)$

laws.

Conditions to avoid Keep away from heat / sparks / open flames / hot surfaces. — No smoking.

Protect from sunlight. Keep away from oxidizing agents, from strongly alkaline

and strongly acid materials. Prevent unauthorized access.

Conditions for safe storage

Storage temperature Value: 5 - 25 grader celsius

7.3. Specific end use(s)

Recommendations Do not handle until all safety precautions have been read and understood.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance Identification Exposure limits TWA Year

propylheptanol ethoxylate CAS No.: 160875-66-1

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls

Use with adequate ventilation. If possible this should be achieved by local

extraction and good exhaust ventilation. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2$

respiratory equipment.

Respiratory protection

Respiratory protection Respiratory protection with gas filter (brown A) must be used if air concentration

exceeds acceptable level (OEL).

Mask type When spraying, use half-or full face mask with filter P2 (IIb) to spray.

Hand protection

Hand protection Wear cold insulating gloves / face shield / eye protection.

Skin- / hand protection, long term

contact

For prolonged or repeated contact use gloves made of butyl rubber.

Suitable materials Barrier creams may help to protect the skin, but they should however not be used

once exposure has occurred.

Eye / face protection

Suitable eye protection Wear cold insulating gloves / face shield / eye protection.

Skin protection

Skin protection (except hands) Wear fire / flame resistant / retardant clothing.

Exposure controls

Safety measures for consumer

use of the chemical

Read label before use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Odour Faint.

Odour limit Comments: Not applicable.

pH Status: In aqueous solution

Comments: Not determined .

Melting point / melting range Comments: Not determined.

Boiling point / boiling range Comments: Not determined.

Flash point Comments: Ej Lämplig.

Vattenbaserad produkt.

Evaporation rate Comments: Not determined.

Flammability Not determined

Explosion limit Comments: Not applicable.

Vapour pressure Comments: Not determined.

Vapour density Comments: Not determined.

Relative density Value: 1 g/ml

Solubility in water unlimited.

Partition coefficient: n-octanol/

water

Comments: Not applicable.

Properties Not explosive.

Oxidising properties Not Oxidising.

9.2. Other information

Physical hazards

Content of VOC Value: 0 g/ml

Comments: Initial boiling point less than or equal to 250°C.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reactive.

10.2. Chemical stability

Stability Stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No dangerous if handled according to Technical Information.

10.4. Conditions to avoid

Conditions to avoid No applicable.

10.5. Incompatible materials

Materials to avoid Keep away from oxidizing agents, strongly alkaline and strongly acid materials in

order to avoid exothermic reaction.

10.6. Hazardous decomposition products

Hazardous decomposition products

When exposed to high temperature may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological data for substances

Substance propylheptanol ethoxylate

Acute toxicity Type of toxicity: Acute

Effect tested: LD50
Route of exposure: Oral
Value: > 2000 mg/kg
Animal test species: Rat

Eye damage or irritation other

information

Causes serious eye damage.

Potential acute effects

Inhalation May cause drowsiness or dizziness. May cause respiratory irritation.

Skin contact No information is available.

Eye contact No information available.

Ingestion Ingestion may cause nausea and vomiting.

Skin corrosion / irritation, other

information

No information available.

Aspiration hazard, human

experience

When applying see section 8.

Eye damage or irritation other

information

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Delayed effects / repeated exposure

General respiratory or skin

sensitisation

Prolonged or repeated contact may defat the skin, resulting in non-allergic

contact eczema and absorption through the skin.

STOT-single exposure No information available.

STOT-repeated exposure No information available.

Carcinogenic, Mutagenic or Reprotoxic

Carcinogenicity human experience No information is available.

Germ cell mutagenicity, human

experience

No information available.

Reproductive toxicity No information available.

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

Substance propylheptanol ethoxylate

Aquatic toxicity, fish Value: > 10 - 100 mg/l

Test duration: 96h Method: LC50

Aquatic toxicity, algae Value: > 10 - 100 mg/l

Test duration: 72h Method: EC50

Aquatic toxicity, crustacean Value: > 10 - 100 mg/l

Test duration: 48h Method: EC50

Persistence and degradability,

comments

Propylheptanoletoxilat Uppfyller kriterier för bionedbrytbarhet i enlighet med

EG-direktiv nr 648/2004 med avseende på rengöringsmedel.

12.3. Bioaccumulative potential

Bioaccumulation, evaluation Propylheptanoletoxilat Bedöms inte vara bioackumulativ.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT assessment results

Not classified as PBT / vPvB of current EU criteria.

12.6. Other adverse effects

Other adverse effects, comments

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Specify the appropriate methods of disposal

Avoid release to the environment. Collect spillage.

Product classified as hazardous

waste

No

EWC waste code

EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS, National waste code: 01,

National wastegroup: 12

SECTION 14: Transport information

14.1. UN number

14.2. UN proper shipping name

ADR/RID/ADN
IMDG

ICAO/IATA ---

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

IMDG Marine pollutant

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations

Classification and labeling of substances under Directive 67/548/EC, 1999/45/

EC, see section 3.

Classification and labeling of substances according to Regulation (EC) 1272/

2008 (CLP) is in section 3.

The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.

Safety data sheet is designed according to EU Commission Regulation No. 1907/2006.

15.2. Chemical safety assessment

Chemical safety assessment performed

No

SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)

H318 Causes Serious eye damage. H302 Harmful if swallowed.

Prepared by

Arboritec AB

Comments

The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.