# Zero Tile by Kährs Oy

## HPD UNIQUE IDENTIFIER: 24247

CLASSIFICATION: 09 65 19 Resilient Tile Flooring

PRODUCT DESCRIPTION: Resilient Tile Flooring. Kahrs Upofloor Zero Tile is PVC Free Tile for heavy use. Does not contain any PVC and plastizisers.

# Section 1: Summary

### CONTENT INVENTORY

- Inventory Reporting Format
- C Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- C Material
- O Product

- Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS C Other
- Residuals/Impurities © Considered © Partially Considered © Not Considered Explanation(s) provided for Residuals/Impurities? © Yes © No

# **Basic Method / Product Threshold**

All Substances Above th	he Threshold Indicated Are:
Characterized	○ Yes Ex/SC
% weight and role provi	ded for all substances.
Screened	○ Yes Ex/SC ⊙ Yes ○ No
All substances screened results disclosed.	l using Priority Hazard Lists with
Identified	○ Yes Ex/SC
All substances disclosed and Identifier.	d by Name (Specific or Generic)

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

## MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ZERO TILE [ CALCIUM CARBONATE NoGS

ETHYLENE/METHACRYLIC ACID COPOLYMER, ZINC SALT (EMAA-XZN) LT-UNK THERMOPLASTIC ELASTOMER NoGS ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK ACRYLIC POLYMERS NoGS TITANIUM DIOXIDE LT-1 | CAN | END CARBON BLACK LT-1 | CAN IRON HYDROXIDE (FE(OH)3) LT-UNK BUTANAMIDE, 2,2'-[1,2-ETHANEDIYLBIS(OXY- 2,1-PHENYLENEAZO)]BIS[N-(2,3-DIHYDRO-2-OXO-1H-BENZIMIDAZOL -5-YL)-3-OXO- LT-UNK C.I. PIGMENT BLUE 15 BM-3 2-NAPHTHALENECARBOXAMIDE, N-(2,3-DIHYDRO-2-OXO-1H-BENZIMIDAZOL - 5-YL)-3-HYDROXY-4-[[2-METHOXY-5-METHYL -4-[(METHYLAMINO)SULFONYL]PHENYL]AZO]- LT-P1 IRON OXIDE BLACK LT-UNK FERRIC OXIDE YELLOW LT-UNK FERRIC OXIDE BM-2 | CAN ]

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

## INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. The component CAS# was used to identify associated hazards of components above threshold limit.

## **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings. VOC emissions: RFCI FloorScore VOC emissions: Emission Classification of Building Materials - M1 VOC emissions: Blue Angel

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-08-08 PUBLISHED DATE: 2021-04-01 EXPIRY DATE: 2021-08-08 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

RODUCT THRESHOLD: 1000 ppn	n RESIDUALS AND	IMPURITIES C	ONSIDERED: Ye	S
ESIDUALS AND IMPURITIES NO <sup>-</sup> reshold were listed.	TES: Residuals and impurities were conside	ered for all raw	materials and th	ose that show up above the state
	variation may occur inside given percentag collection is consisting many different colo			or pigments as their use varies in
CALCIUM CARBONATE				ID: 114453-69-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2018-08-08 14:46:31
%: 70.0000 - 73.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: Calcium	carbonate is a natural mineral. Does have a	lso synonyms	as limestone.	
ETHYLENE/METHACRYLIC ACI XZN)	D COPOLYMER, ZINC SALT (EMAA-			ID: 28516-43-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2018-08-08 14:46:31
%: 9.5000 - 11.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
	mer structure is more known as ionomer. S t and also as a part of binder system of the r reported treshold level.			
THERMOPLASTIC ELASTOMER				ID: 308079-71-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2018-08-08 14:46:31
%: 8.5000 - 10.5000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
None Iouna				

	YMER (EVA)				ID: 24937-78
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2018-08-08 14	1:46:31
6: <b>6.0000 - 8.0000</b>	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings f	ound on HPD P	iority Hazard Lis
SUBSTANCE NOTES: Polyethyle needed.	ene based polyolefin copolymer is used as	a soft binder.	By using natura	lly soft polymer	no plastiziser is
ACRYLIC POLYMERS					ID: 903501-2
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2018-08-08 14	1:46:31
%: 0.5000 - 1.0000	GS: NoGS	RC: None	NANO: No SU	BSTANCE ROLI	E: Polymer speci
			IINGS		
HAZARD TYPE	AGENCY AND LIST TITLES	WARN			
	AGENCY AND LIST TITLES ylate polymers. UV cured in highly controll sed with highly controlled curing process.		No warnings f		-
None found SUBSTANCE NOTES: Cured acr	ylate polymers. UV cured in highly controll		No warnings f		iority Hazard Lis ill be low becaus ID: 13463-6
None found SUBSTANCE NOTES: Cured act very small amount of material us	ylate polymers. UV cured in highly controll	ed conditions.	No warnings f	sible residuals w	ill be low becaus
None found SUBSTANCE NOTES: Cured act very small amount of material us TITANIUM DIOXIDE HAZARD SCREENING METHOD:	ylate polymers. UV cured in highly controll sed with highly controlled curing process.	ed conditions.	No warnings f	sible residuals w 2018-08-08 14	ill be low becaus ID: <b>13463-6</b>
None found SUBSTANCE NOTES: Cured act very small amount of material us TITANIUM DIOXIDE	ylate polymers. UV cured in highly controll sed with highly controlled curing process. Pharos Chemical and Materials Library	ed conditions. HAZARD SC	No warnings f Amount of pose REENING DATE NANO: <b>No</b>	sible residuals w 2018-08-08 14	ill be low becaus ID: <b>13463-6</b> <b>1:46:31</b>
None found SUBSTANCE NOTES: Cured activery small amount of material us <b>TITANIUM DIOXIDE</b> HAZARD SCREENING METHOD: %: 0.0000 - 2.0000	ylate polymers. UV cured in highly controll sed with highly controlled curing process. Pharos Chemical and Materials Library GS: LT-1	ed conditions. HAZARD SC RC: None WARN	No warnings f Amount of pose REENING DATE NANO: <b>No</b>	sible residuals w 2018-08-08 14 SUBSTANCE	ill be low becaus ID: <b>13463-6</b> <b>1:46:31</b>
None found SUBSTANCE NOTES: Cured activery small amount of material us <b>TITANIUM DIOXIDE</b> HAZARD SCREENING METHOD: %: 0.0000 - 2.0000 HAZARD TYPE	ylate polymers. UV cured in highly controll sed with highly controlled curing process. Pharos Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES	ed conditions. HAZARD SC RC: None WARN Occup	No warnings f Amount of poss REENING DATE NANO: <b>No</b> IINGS	sible residuals w 2018-08-08 14 SUBSTANCE	ill be low becaus ID: 13463-6 I:46:31 ROLE: Pigment
None found SUBSTANCE NOTES: Cured activery small amount of material us <b>TTANIUM DIOXIDE</b> IAZARD SCREENING METHOD: 6: 0.0000 - 2.0000 HAZARD TYPE CAN CAN	ylate polymers. UV cured in highly controll sed with highly controlled curing process. Pharos Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES US CDC - Occupational Carcinogens	ed conditions. HAZARD SC RC: None WARN Occup Carcin route Group	No warnings f Amount of poss REENING DATE NANO: No IINGS pational Carcinos	sible residuals w 2018-08-08 14 SUBSTANCE gen to chemical form arcinogenic to h	ID: 13463-6 I:46:31 ROLE: Pigment
None found SUBSTANCE NOTES: Cured activery small amount of material us <b>TITANIUM DIOXIDE</b> HAZARD SCREENING METHOD: %: 0.0000 - 2.0000 HAZARD TYPE CAN	ylate polymers. UV cured in highly controll sed with highly controlled curing process. Pharos Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES US CDC - Occupational Carcinogens CA EPA - Prop 65	ed conditions. HAZARD SC RC: None WARN Occup Carcin route Group from o Carcin	No warnings f Amount of poss REENING DATE NANO: No IINGS Pational Carcinog ogen - specific f 2B - Possibly ca occupational sou	sible residuals w 2018-08-08 14 SUBSTANCE gen to chemical form arcinogenic to h rcces - Evidence of ca	ID: 13463-6 ID: 13463-6 I:46:31 ROLE: Pigment

CARBON BLACK				ID: 1333-86-4
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2018-08-08 14:46:31
%: 0.0000 - 0.5000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: C.I. Pigment Black 7. This material is widely used most common black colorant. Amount used varies according color of the product. Therefore some colors do not have this at all. As this is very effective color pigments it is always used at very small quantities.

IRON HYDROXIDE (FE(OH)3)				ID: 1309-33-
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2018-08-08 14:46:31
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: This is p some colors may not have this	resenting group of iron hydoxide pigments. at all.	Amount used	varies according	color of the product. Therefore
BUTANAMIDE, 2,2'-[1,2-ETHAN PHENYLENEAZO)]BIS[N-(2,3-D YL)-3-OXO-	IEDIYLBIS(OXY- 2,1- IHYDRO-2-OXO-1H-BENZIMIDAZOL -5-			ID: <b>77804-81-</b> (
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2018-08-08 14:46:31
%: 0.0000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: C.I. Pign	nent Yellow 180. Used very small amounts w	/here bright ye	llow colors are n	eeded.
C.I. PIGMENT BLUE 15				ID: <b>147-14-</b> 8
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2018-08-08 14:46:31
%: 0.0000 - 0.5000	GS: <b>BM-3</b>	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: C.I. Pign	nent Blue 15:1. Used very small quantities in	colors where	cyan blue colors	are needed.
	DE, N-(2,3-DIHYDRO-2-OXO-1H- ROXY-4-[[2-METHOXY-5-METHYL -4- HENYL]AZO]-			ID: <b>51920-12-</b> 8

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2018-08-08 14:46:31
%: 0.0000 - 0.5000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: Pigment	Red. Used small amount where bright red o	olor is needed		
IRON OXIDE BLACK				ID: 12227-89-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2018-08-08 14:46:31
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: Pigment I	black. Used in where black color is needed			
•				
FERRIC OXIDE YELLOW				ID: 51274-00-1
	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	
	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SCF RC: None	REENING DATE: NANO: <b>No</b>	
HAZARD SCREENING METHOD:			NANO: No	2018-08-08 14:46:31
HAZARD SCREENING METHOD: %: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: <b>No</b> NGS	2018-08-08 14:46:31
HAZARD SCREENING METHOD: %: 0.0000 - 1.0000 HAZARD TYPE	GS: LT-UNK	RC: None	NANO: <b>No</b> NGS	2018-08-08 14:46:31 SUBSTANCE ROLE: Pigment
HAZARD SCREENING METHOD: %: 0.0000 - 1.0000 HAZARD TYPE None found	GS: LT-UNK	RC: None	NANO: <b>No</b> NGS	2018-08-08 14:46:31 SUBSTANCE ROLE: Pigment
HAZARD SCREENING METHOD: %: 0.0000 - 1.0000 HAZARD TYPE None found	GS: LT-UNK	RC: None	NANO: <b>No</b> NGS	2018-08-08 14:46:31 SUBSTANCE ROLE: Pigment
HAZARD SCREENING METHOD: %: 0.0000 - 1.0000 HAZARD TYPE None found SUBSTANCE NOTES: C.I. Pigm FERRIC OXIDE	GS: LT-UNK	RC: None	NANO: <b>No</b> INGS No warnings fo	2018-08-08 14:46:31 SUBSTANCE ROLE: Pigment
HAZARD SCREENING METHOD: %: 0.0000 - 1.0000 HAZARD TYPE None found SUBSTANCE NOTES: C.I. Pigm FERRIC OXIDE	GS: LT-UNK AGENCY AND LIST TITLES ent Yellow 42	RC: None	NANO: <b>No</b> INGS No warnings fo	2018-08-08 14:46:31 SUBSTANCE ROLE: Pigment ound on HPD Priority Hazard Lists ID: 1309-37-1
HAZARD SCREENING METHOD: %: 0.0000 - 1.0000 HAZARD TYPE None found SUBSTANCE NOTES: C.I. Pigm FERRIC OXIDE HAZARD SCREENING METHOD:	GS: LT-UNK AGENCY AND LIST TITLES ent Yellow 42 Pharos Chemical and Materials Library	RC: None WARNI HAZARD SCF	NANO: No NGS No warnings fo REENING DATE: NANO: No	2018-08-08 14:46:31 SUBSTANCE ROLE: Pigment ound on HPD Priority Hazard Lists ID: 1309-37-1 2018-08-08 14:46:31

SUBSTANCE NOTES: C.I. Pigment Red 101. Iron oxide pigment.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Upofloor production site, Ikaalinen, Finland CERTIFICATE URL: https://www.scsglobalservices.com/certified-green- products-guide CERTIFICATION AND COMPLIANCE NOTES: SCS-FS-0225	ISSUE DATE: 2017-12- 01	EXPIRY DATE: 2018- 11-30	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: 303-F3-0223	00		
VOC EMISSIONS	Emission Classification	of Building Materials - N	/1
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Upofloor Oy Ikaalinen, Finland CERTIFICATE URL:	ISSUE DATE: 2017-09- 24	EXPIRY DATE: 2019- 09-24	CERTIFIER OR LAB: The Building Information Foundation RTS sr
CERTIFICATION AND COMPLIANCE NOTES: The Building	Information Foundation R	TS sr	
VOC EMISSIONS	Blue Angel		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Upofloor, Ikaalinen, Finland	ISSUE DATE: 2018-01- 29	EXPIRY DATE:	CERTIFIER OR LAB: RAL gGmbH
CERTIFICATE URL:			

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

All information with healt warnings has been made using automated tool.

## MANUFACTURER INFORMATION

MANUFACTURER: Kährs Oy ADDRESS: Kahrs Oy Myllyhaantie 6 D Pirkkala Pirkanmaa 33960, Finland WEBSITE: www.upofloor.com

CONTACT NAME: Tomi Tehomaa TITLE: Technical Product Manager PHONE: +358207409676 EMAIL: tomi.tehomaa@kahrs.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

### Zero Tile hpdrepository.hpd-collaborative.org